



Notes

- **GitHub Usernames**
 - If you didn't fill out the form, email me with your name, student ID#, and github username before tomorrow!
- **First reading assignment posted**
 - Review Knoll Ch. 11, 12, and Appendix D, discuss by Friday evening
- **Lab tomorrow (8/29) - Computational crash-course**
 - 2 - 6 PM in 1106 Etcheverry
 - Interactive example with lab report template
 - **Not required**
- **Computer setup**
 - If you do not have access to a computer running a *nix OS and are not comfortable with options like dual-booting, I strongly recommend you download the virtual machine linked on the front page of the class website **before lab on 8/29**



Radiation Detection and Measurement

- Comprises instrumentation and methods for the **detection**, **characterization**, and **localization** of emitted radiation and its sources
 - **Detection** of radiation
 - Is radiation emitting source present or not?
 - Sensitivity, signal-to-background
 - **Characterization** of radiation and emission sources
 - Energy/identification
 - Intensity/quantification
 - Time of arrival
 - Multiplicity
 - Type/charge/mass
 - Polarization
 - ...
 - **Localization** of radiation-emitting sources
 - Directionality (incident flux)
 - Position of origin

General Properties of Radiation Detectors




- Properties from physics, materials, geometry, etc.
 - Energy resolution
 - Efficiency
 - Timing Characteristics
 - Time resolution
 - Time-coincidence properties
 - Rate capabilities
 - Pulse-pair resolution, dead-time
 - Throughput
 - Position sensitivity
 - Pulse shape discrimination
- Engineering aspects
 - Relates to specific application
 - Size, weight, reliability, ruggedness, complexity, maintenance requirements, power delivery & consumption
- Cost!



Conceptual Applications of RD&M

- Radiation as an information carrier
 - **Emission** measurements
 - Derive information about object based on the radiation it emits
 - E.g. Gamma-ray spectroscopy, emission tomography (PET, SPECT)
 - Includes **induced emission**
 - Active interrogation
 - **Transmission & scattering**
 - Obtain information about transmission/scattering medium
 - E.g. radiography, CT, small-angle neutron scattering
- Detecting/characterizing the radiation itself
 - CDM searches, neutrinos, HEP






Practical Applications of RD&M

- Medical applications
 - Radiology (X-rays & photons for diagnostics, therapy)
 - Emission tomography (PET, SPECT)
 - Medical diagnostics, pharmaceutical development
 - Dosimetry
- Scientific Applications
 - Archaeology/Geochronology (^{14}C and related dating techniques)
 - Biology, Chemistry, Geology (radiotracer techniques [^{32}P])
 - Physics, astrophysics, cosmology
- Materials science
 - Photon and neutron radiography, other imaging methods (SANS)
 - Defect detection, distribution studies
- Industrial applications
 - Mining (petroleum exploration), well logging
 - Gauges (flow meters, thickness & density gauges)
 - Gamma-ray altimetry



Radiation is Everywhere!


- EM radiation from cosmic microwave background (CMB) is pervasive
 - On old CRT TV's with analog receivers, ~1% of the static on the screen could be attributed to the CMB
- In this course, we'll focus on **ionizing radiation**
 - Directly & indirectly ionizing
 - Energy scale: ~10 eV to ~10 MeV
- Primarily focus on radiation originating in the atomic nucleus and related processes
 - Radioactivity!



http://cosmology.berkeley.edu/Education/CosmologyEssays/The_Cosmic_Microwave_Background.html



Model for Technological Progress





Example: Discovery of X-Rays

- November 8th, 1895: [Wilhelm Roentgen discovers X-rays](#)
- November 22nd, 1895: First radiographic X-ray
 - Of his wife Anna-Bertha's hand
- First publication of X-radiation
 - "On a new type of radiation", Dec. 28th 1895
- Immediately realized potential for medical applications
 - By Jan. 1896 - preliminary investigations for diagnostic images
 - Mid 1896 - applied for imaging kidney stones, broken bones, etc
- Unfortunately, [dose effects not discovered until later](#)



Taken **2 weeks** after the discovery of x-rays!



[Presented mid-January, 1896](#)



A Century Later...

- ~\$34 Billion per annum global market
- Radiographic anatomical imaging
 - Computed tomography
 - Dual-beam (attenuation corr.)
 - Cone-beam (time & dose min.)
- Emission tomography for metabolic imaging
 - PET
 - Superior time resolution (LYSO)
→ Time-of-flight PET
 - SPECT
 - Detector position resolution impacts resolution
- Current limitations beyond instrumentation
 - Patient motion → **data fusion**
 - Gated collection, motion correction




Chest CT, 0.3 mm resolution




SPECT bone scan w/ ^{99m}Tc - multiple metastases

Whole body PET



Astonish TF



Non-TOF

Improved image resolution from TOF-PET




RD&M in Fundamental Science


- Atomic [100 eV - 100 keV] and nuclear [1 keV - 20 MeV] physics
 - e.g. GRETINA & AGATA
- Particle physics (HEP)
 - e.g. ATLAS, CMS
- Rare event searches
 - CDM, $0\nu\beta\beta$ decay
 - Super CDMS, Edelweiss, LeGEND, LuXe/LZ, etc.
- Astrophysics
 - e.g. Planetary exploration, X-ray and Gamma-ray astronomy





GRETINA (10/30 detectors) - Nuclear structure, rare isotopes



Majorana Demonstrator - $0\nu\beta\beta$ search with PPC HPGe




ATLAS Detector @ LHC



COSI & Compton image of Crab Nebula



Incredible Opportunities in RD&M



- Advancements in hardware & software
 - Modern HW & methods (DSP), detector technologies
 - Data fusion: enhance RD&M using contextual information
- Drive down costs → improve accessibility
 - Survey meter: ~\$500 for 1920's tech!




E.g. [H3D](#) - Creating interest in spectroscopic gamma-ray imagers for applications in nuclear power plants

- Emerging real-world applications
 - Nuclear contamination remediation
 - From Hanford to Fukushima
- Nuclear security and safeguards



Example: Radiation Dose Effects

- Linear No-Threshold model
 - We have no idea what the effects of low-dose & low-dose rate (e.g. natural background) are
 - LNT: harmful
 - Hormesis: beneficial
- Difficult to study: no reliable, large-scale data for low-dose radiation
 - Essentially an instrumentation problem
 - Too expensive to deploy existing instrumentation to collect this data
- Reliable, scalable dosimetry instrumentation would have a huge impact on our ability to resolve this question



[Alan E. Waltar "America the Powerless"](#)